AUTHOR INDEX

Agarwal, R. R., 151
Armstrong, R. D., 89

Binder, M., 187
Brandt, K., 265

Carbonio, R. E., 75
Černý, J., 111
Charles, E. A., 89
Culpin, B., 305

Dakshinamurthi, K., 295
Darbyshire, G. F., 75
Deshpande, V. K., 257

Gaberšček, M., 123
Gabriel, C. J., 215
Garche, J., 1

Hampartzumian, K., 177
Hanawa, T., 277
Hill, R. J., 313
Hullmeine, U., 27

Ilchev, N., 167, 177

Jamnik, J., 123

Kanamura, K., 277
Kannan, A. M., 141
Kordesch, K. V., 195

Laman, F. C., 265
Lomaniec, J., 159

Macagno, V. A., 75
Maja, M., 99, 229
Manev, V., 167, 177
Micka, K., 111
Mrha, J., 1
Musilová, M., 1

Nassalevska, A., 167

Pejovnik, S., 123
Penazzi, N., 99, 229
Petrovič, S., 1
Prasad, P. S. S., 287

Radhakrishna, S., 287
Rajeswari, S., 295
Rand, D. A. J., 241
Randin, J.-P., 49, 61

Salodkar, R. V., 257
Sathyanarayana, S., 141
Sheridan, N. R., 243
Shukla, A. K., 141
Singh, K., 257
Sivasamy, K., 295
Skowroński, J. M., 133
Sokolov, M., 159
Szpak, S., 215

Takehara, Z., 277
Tomantschger, K., 195

Vazquez, M. V., 75
Voss, E., 27

Wade, W. L., Jr., 187
Walker, C. W., Jr., 13, 187
Wiesener, K., 1
Winsel, A., 27

Yonezawa, S., 277

© Elsevier Sequoia/Printed in The Netherlands

SUBJECT INDEX

Accumulators
sealed Ni–Cd, oxygen reduction rate at Teflon-bounded Cd electrodes in, 1
A.c. impedance studies
of anodic passivating layer in Li–$SOCl_2$ batteries, 123
Aluminum
interactions of SO_2 with $Ca(AlCl_4)_2$–SO_2Cl_2 electrolyte; Raman studies, 187
Anions
diffusion of various, in polyacetylene cathode of secondary Li battery, 277
Anode studies
at low temperatures; Ca thionyl chloride cells, 13
Anodic passivating layer
in Li–$SOCl_2$ batteries, a.c. impedance studies of, 123

Battery(ies)
lead/acid, discussions on
H and order–disorder in PbO_2 in lead/acid positive plates, 313
role of tetrabasic Pb sulphate in lead/acid positive plates, 305
Li, diffusion of various anions in polyacetylene cathode of secondary, 277
Li/Mo disulfide, reproducibility and reliability of rechargeable, 265
Li–$SOCl_2$, a.c. impedance studies of anodic passivating layer in, 123
Mg, mono methyl substituted *m*-dinitrobenzene compounds as cathode materials in, 295
power losses in, with common electrolytic path, 215
rechargeable metal/air, oxide-based bifunctional O electrode for, 141
sealed gas recombining lead–acid
analysis of real systems, 229
simple theoretical approach, 99

Cadmium
Ni–Cd cells with sintered electrodes, void volume consideration in evaluating capacity of, 159
oxygen reduction rate at Teflon-bounded Cd electrodes in sealed Ni–Cd accumulators, 1
Calcium
Ca thionyl chloride cells; anode studies at low temperatures, 13
interactions of SO_2 with $Ca(AlCl_4)_2$–SO_2Cl_2 electrolyte; Raman studies, 187
Carbon
–Li electrode, phase changes and diffusivity in, 151
Cathode(s)
charge-transfer-complex, electrochemical performance of Ag/molybdotungstate-amorphous-electrolyte cells with, 287
MnO_2, in alkaline electrolyte, discharge characteristics of, influence of CrO_3–GIC on, 133
polyacetylene, of secondary Li battery, diffusion of various anions in, 277
Cathode materials
mono methyl substituted *m*-dinitrobenzene compounds as, in Mg batteries, 295
Cell(s)
Ca thionyl chloride; anode studies at low temperatures, 13
Li button, reliability of commercial
effect of environment on passivation resistance, 49
effect of state-of-discharge and environment on passivation resistance, 61
Cell
Li–MnO_2
behaviour of MnO_2 in nonaqueous electrolyte, 177
oxygen and water release during thermal treatment of MnO_2, 167
Ni–Cd, with sintered electrodes, void volume consideration in evaluating capacity of, 159
Charge/discharge history
effect of previous, on capacity of $PbO_2/PbSO_4$ electrode; hysteresis or memory effect, 27

© Elsevier Sequoia/Printed in The Netherlands

Charge-transfer-complex cathodes
electrochemical performance of Ag/molybdotungstate-amorphous-electrolyte cells with, 287
Chromium
influence of CrO_3–GIC on discharge characteristics of MnO_2 cathode in alkaline electrolyte, 133
Cobalt hydroxide
some effects of, upon electrochemical behaviour of Ni hydroxide electrodes, 89
Coconut Island
photovoltaic generator on, 243

Diffusion
of various anions in polyacetylene cathode of secondary Li battery, 277
Diffusivity
phase changes and, in C–Li electrode, 151
m-Dinitrobenzene compounds
mono methyl substituted, as cathode materials in Mg batteries, 295
Discharge characteristics
of MnO_2 cathode in alkaline electrolyte, influence of CrO_3–GIC on, 133
Discharge efficiency
of Ni hydroxide electrodes chemically precipitated on Pt substrate, voltammetric, 75

Electrochemical behaviour
of Ni hydroxide electrodes, some effects of Co hydroxide upon, 89
Electrochemical performance
of Ag/molybdotungstate-amorphous-electrolyte cells with charge-transfer-complex cathodes, 287
Electrode(s)
alkaline fuel cell, and electrode materials, structural analysis of, 195
C–Li, phase changes and diffusivity in, 151
Cd, oxygen reduction rate at Teflon-bounded, in sealed Ni–Cd accumulators, 1
Fe, voltammetric study of, in alkaline electrolytes, 111
Ni hydroxide
chemically precipitated on Pt substrate, voltammetric discharge efficiency of, 75
some effects of Co hydroxide upon electrochemical behaviour of, 89
oxide-based bifunctional oxygen, for rechargeable metal/air batteries, 141
$PbO_2/PbSO_4$, effect of previous charge/discharge history on capacity of; hysteresis or memory effect, 27
sintered, void volume consideration in evaluating capacity of Ni–Cd cells with, 159
Electrode materials
structural analysis of alkaline fuel cell electrodes and, 195
Electrolyte(s)
behaviour of MnO_2 nonaqueous; Li–MnO_2 cell, 177
$Ca(AlCl_4)_2$–SO_2Cl_2, interactions of SO_2 with; Raman studies, 187
discharge characteristics of MnO_2 cathode in alkaline, influence of CrO_3–GIC on, 133
voltammetric study of Fe electrode in alkaline, 111
Electrolytic path
power losses in batteries with common, 215
Environment
reliability of commercial Li button cells
effect of environment on passivation resistance, 49
effect of state-of-discharge and environment on passivation resistance, 61

Fuel cell electrodes
structural analysis of alkaline, and electrode materials, 195

Generator
photovoltaic, on Coconut Island, 243
Graphite intercalation compound
CrO_3–, influence of, on discharge characteristics of MnO_2 cathode in alkaline electrolyte, 133

Hydrogen
and order–disorder in PbO_2 in lead/acid positive plates; discussions on lead/acid battery, 313
Hysteresis
or memory effect; effect of previous charge/discharge history on capacity of $PbO_2/PbSO_4$ electrode, 27

Ionic conductivity
of Li borophosphate glass, enhancement of; mixed glass former approach, 257
Iron electrode
voltammetric study of, in alkaline electrolytes, 111

Lead
effect of previous charge/discharge history on capacity of PbO_2/$PbSO_4$ electrode; hysteresis or memory effect, 27
H and order–disorder in PbO_2 in lead/acid positive plates; discussions on lead/acid battery, 313
Lead/acid battery(ies)
discussions on
H and order–disorder in PbO_2 in lead/acid positive plate, 313
role of tetrabasic Pb sulphate in lead/acid positive plates, 305
sealed gas recombining
analysis of real systems, 229
simple theoretical approach, 99
Lead sulphate
role of tetrabasic, in lead/acid positive plate; discussions on lead/acid battery, 305
Lithium
C–Li electrode, phase changes and diffusivity in, 151
diffusion of various anions in polyacetylene cathode of secondary Li battery, 277
–MnO_2 cell
behaviour of MnO_2 in nonaqueous electrolyte, 177
oxygen and water release during thermal treatment of MnO_2, 167
/Mo disulfide batteries, reproducibility and reliability of rechargeable, 265
–$SOCl_2$ batteries, a.c. impedance studies of anodic passivating layer in, 123
Lithium borophosphate glass
enhancement of ionic conductivity of; mixed glass former approach, 257
Lithium button cells
reliability of commercial
effect of environment on passivation resistance, 49
effect of state-of-discharge and environment on passivation resistance, 61

Magnesium
batteries, mono methyl substituted *m*-dinitrobenzene compounds as cathode materials in, 295
Manganese
discharge characteristics of MnO_2 cathode in alkaline electrolyte, influence of CrO_3–GIC on, 133
Mangenese dioxide
Li–MnO_2 cell
behaviour of MnO_2 in nonaqueous electrolyte, 177
oxygen and water release during thermal treatment of MnO_2, 167
Metal/air batteries
oxide-based bifunctional oxygen electrode for rechargeable, 141
Molybdenum
electrochemical preformance of Ag/molybdotungstate-amorphous-electrolyte cells with charge-transfer-complex cathodes, 287
Molybdenum disulfide
Li/Mo disulfide batteries, reproducibility and reliability of rechargeable, 265

Nickel
–Cd accumulators, O reduction rate at Teflon-bounded Cd electrodes in sealed, 1
–Cd cells with sintered electrodes, void volume consideration in evaluating capacity of, 159
Nickel hydroxide electrodes
chemically precipitated on Pt substrate, voltammetric discharge efficiency of, 75
some effects of Co hydroxide upon electrochemical behaviour of, 89

Order–disorder
H and, in PbO_2 in lead/acid positive plates; discussions on lead/acid battery, 313
Oxygen
and water release during thermal treatment of MnO_2; Li–MnO_2 cell, 167
Oxygen electrode
oxide-based bifunctional, for rechargeable metal/air batteries, 141
Oxygen reduction rate
at Teflon-bounded Cd electrodes in sealed Ni–Cd accumulators, 1

Passivation resistance
reliability of commercial Li button cells
effect of environment on, 49
effect of state-of-discharge and environment on, 61
Phase changes
and diffusivity in C–Li electrode, 151
Photovoltaic generator
on Coconut Island, 243
Platinum
Ni hydroxide electrodes chemically precipitated on Pt substrate, voltammetric discharge efficiency of, 75
Polyacetylene cathode
diffusion of various anions in, of secondary Li battery, 277
Positive plate
lead/acid
H and order–disorder in PbO_2 in, 313
role of tetrabasic Pb sulphate in, 305
Power losses
in batteries with common electrolytic path, 215

Raman studies
interactions of SO_2 with $Ca(AlCl_4)_2$–SO_2Cl_2 electrolyte, 187
Reliability
of rechargeable Li/Mo disulfide batteries, reproducibility and, 265

Sealed gas recombining lead–acid batteries
analysis of real systems, 229
simple theoretical approach, 99
Silver
electrochemical performance of Ag/molybdotungstate-amorphous-electrolyte cells with charge-transfer-complex cathodes, 287
State-of-discharge
reliability of commercial Li button cells; effect of, and environment on passivation resistance, 61
Structural analysis
of alkaline fuel cell electrodes and electrode materials, 195
Sulphur dioxide
interactions of SO_2 with $Ca(AlCl_4)_2$–SO_2Cl_2 electrolyte; Raman studies, 187

Thermal treatment
of MnO_2, O and water release during; Li–MnO_2 cell, 167
Thionyl chloride
Ca, cells; anode studies at low temperatures, 13
Li–$SOCl_2$ batteries, a.c. impedance studies of anodic passivating layer in, 123
Tungsten
electrochemical performance of Ag/molybdotungstate-amorphous-electrolyte cells with charge-transfer-complex cathodes, 287

Void volume consideration
in evaluating capacity of Ni–Cd cells with sintered electrodes, 159
Voltammetric study
of Fe electrode in alkaline electrolytes, 111